























6













	Neurobiology of Disease 134 (2020) 104679
	Contents lists available at ScienceDirect Neurolibiony
	Neurobiology of Disease
ELSEVIED	iournal homonoror you'v alervier com/locate/unbdi
and the second	
A randomized, d	ouble-blind, placebo-controlled trial of blue wavelength
A randomized, d	ouble-blind, placebo-controlled trial of blue wavelength
A randomized, de light exposure or	ouble-blind, placebo-controlled trial of blue wavelength a sleep and recovery of brain structure, function, and
A randomized, de light exposure or cognition followi	ouble-blind, placebo-controlled trial of blue wavelength a sleep and recovery of brain structure, function, and
A randomized, d light exposure or cognition followi	ouble-blind, placebo-controlled trial of blue wavelength a sleep and recovery of brain structure, function, and ing mild traumatic brain injury
A randomized, de light exposure or cognition followi	ouble-blind, placebo-controlled trial of blue wavelength a sleep and recovery of brain structure, function, and ing mild traumatic brain injury
A randomized, de light exposure or cognition followi William D.S. Killgore	ouble-blind, placebo-controlled trial of blue wavelength n sleep and recovery of brain structure, function, and ing mild traumatic brain injury *, John R. Vanuk, Bradley R. Shane, Mareen Weber, Sahil Bajaj
A randomized, de light exposure or cognition followi William D.S. Killgore Department of Psychiatry, College of	ouble-blind, placebo-controlled trial of blue wavelength a sleep and recovery of brain structure, function, and ing mild traumatic brain injury *, John R. Vanuk, Bradley R. Shane, Mareen Weber, Sahil Bajaj Medicine, University of Artures, United States of America
A randomized, de light exposure or cognition followi William D.S. Killgore ² Department of Psychiatry, College of Department of Psychiatry, College of	ouble-blind, placebo-controlled trial of blue wavelength a sleep and recovery of brain structure, function, and ing mild traumatic brain injury *, John R. Vanuk, Bradley R. Shane, Mareen Weber, Sahil Bajaj Medicine, University of Artisme, United Status of America
A randomized, do light exposure or cognition followi William D.S. Killgore' Department of Psychiatry, College of ARTICLEINFO	ouble-blind, placebo-controlled trial of blue wavelength a sleep and recovery of brain structure, function, and ing mild traumatic brain injury *, John R. Vanuk, Bradley R. Shane, Mareen Weber, Sahil Bajaj Medicine, University of Arturea, United States of America A B STRACT
A randomized, de light exposure or cognition followi William D.S. Killgore Department of Psychiatry, College of ARTICLEINFO Keywords:	ouble-blind, placebo-controlled trial of blue wavelength a sleep and recovery of brain structure, function, and ing mild traumatic brain injury *, John R. Vanuk, Bradley R. Shane, Mareen Weber, Sahil Bajaj Medicine, University of Arisme, United States of America A B ST R A C T Sleep and circadian rhythms are among the most powerful but least understood contributors to cognitive per
A randomized, do light exposure or cognition followi William D.S. Killgore' Department of Psychiatry, College of A R TICLE IN PO Coywords: aTR	ouble-blind, placebo-controlled trial of blue wavelength a sleep and recovery of brain structure, function, and ing mild traumatic brain injury *, John R. Vanuk, Bradley R. Shane, Mareen Weber, Sahil Bajaj Medicine, University of Attorne, United States of America Medicine, University of Attorne, United States of America A B S T R A C T Sleep and circadian rhythms are among the most powerful but least understood contributors to cognitive per formance and brain health. Here we capitalize on the circadian resetting effect of blue-wavelength light to plas
A randomized, de light exposure or cognition followi William D.S. Killgore Department of Psychiatry, College of ARTICLE INFO Keywords: aTBI Concussion	ouble-blind, placebo-controlled trial of blue wavelength a sleep and recovery of brain structure, function, and ing mild traumatic brain injury *, John R. Vanuk, Bradley R. Shane, Mareen Weber, Sahil Bajaj Medicine, University of Arisene, United States of America A B S T R A C T Sleep and circadian rhythms are among the most powerful but least understood contributors to cognitive per formance and brain health. Here we capitalize on the circadian resetting effect of blue-wavelength light to phase whit the sleep enternes of adult priorities (see 14 A-48 years) encovering from mild ramatic brain light of phase whit the sleep enternes of adult priorities (see 14 A-48 years) encovering from mild ramatic brain light on phase in the structure of the structure (see 14 A-48 years) encovering from mild ramatic brain light on phase in the structure of the structure from mild ramatic brain light of phase in the structure of the structure from mild ramatic brain light of phase in the structure of the structure (see 14 A-48 years) encovering from mild ramatic brain light of phase in the structure of the structure (see 14 A-48 years) encovering from mild ramatic brain light of phase in the structure of the structure (see 14 A-48 years) encovering from mild ramatic brain light of phase in the structure of the structure (see 14 A-48 years) encovering from mild ramatic brain light of phase in the structure of the structure (see 14 A-48 years) encovering from mild ramatic brain light of phase in the structure of the structure (see 14 A-48 years) encovering from mild ramatic brain light of phase in the structure of the structure (see 14 A-48 years) encovering from mild ramatic brain light of phase in the structure of the structure (see 14 A-48 years) encovering from mild ramatic brain light of the structure of the structure (see 14 A-48 years) encovering from mild ramatic brain light of the structure (see 14 A-48 years) encovering from mild ramatic brain light of the structure of the structure (see 14 A-48 year
A randomized, do light exposure or cognition followi William D.S. Killgore' Department of Psychiatry. College of A R TICLE IN PO Krywords: aTN Concussion Jaht Ubrany	ouble-blind, placebo-controlled trial of blue wavelength a sleep and recovery of brain structure, function, and ing mild traumatic brain injury *, John R. Vanuk, Bradley R. Shane, Mareen Weber, Sahil Bajaj Medicine, University of Artuene, United Status of America A B S T R A C T Sleep and circadian rhythms are among the most powerful but least understood contributors to cognitive pe shift the sleep patterns of dadit patients (aged 18-48 yeas) recovering from mild traumatic hrigh uppt (mTRI with the aim of focilization recovery of boals around the arteriance. During the most powerful but least understood contributors to cognitive pe shift the sleep patterns of adult patients (aged 18-48 yeas) recovering from mild traumatic hrain leagt (mTRI with the aim of focilization recovery of boals around the arteriance. During the most powerful but least understood contributors to cognitive performance. During
A randomized, do light exposure or cognition followi William D.S. Killgore Department of Psychiatry, College of ARTICLE INFO Keywords: ATBI Concusion Japht therapy Man Eight	ouble-blind, placebo-controlled trial of blue wavelength a sleep and recovery of brain structure, function, and ing mild traumatic brain injury ", John R. Vanuk, Bradley R. Shane, Mareen Weber, Sahil Bajaj Matins, University of Artema, United States of America A B S T R A C T Sleep and circadian rhythms are among the most powerful but least understood contributors to cognitive performance and brain health. Here we capitalize on the circadian resetting effect of blue-wavelength light to phas with the sleep partners of adult patients (seed 18-48 years) recovering from mild traumatic harin liquiry (mTH) with the aim of facilitating recovery of brain structure, connectivity, and cognitive performance. During andomized double-blind, advecomment of 23 adults with a recent mTH.
A randomized, do light exposure or cognition followi William D.S. Killgore' Department of Psychiatry. College of A R TICLE IN PO Kryword: aTH Concussion Jake Hight Skep	ouble-blind, placebo-controlled trial of blue wavelength a sleep and recovery of brain structure, function, and ing mild traumatic brain injury *, John R. Vanuk, Bradley R. Shane, Mareen Weber, Sahil Bajaj Medicine, University of Arlanes, United Status of America A B S T R A C T Steep and circadian rhythms are among the most powerful but least understood contributors to cognitive pe shift the sleep patterns of datil patients (aged 18-48 years) recovering from mild raumatic thrial upper (mTRI with the alm of facilitating recovery of boals are done of a content of blue wavelength light to pha shift the sleep patterns of datil patients (aged 18-48 years) recovering from mild raumatic thrial light (mTRI with the alm of facilitating recovery of boals are of a control were as marker and the sleep patterns of datile but feet A are of a control were as marker and but the sleep but feet of the of a control were of base but on the of a control were as marker and but the sleep but feet of a control were as marker and but feet the area of a control were as marker and but the sleep but feet the of a control were as marker and but the sleep but feet the of a control were as marker and but the sleep but feet the area of a control were as marker and but the sleep but feet the area of a control were as marker and but the sleep but feet the area of a control were as marker and but the sleep but feet the area of a control were as marker and but the sleep but feet the area of a control were as marker and but the sleep but feet the area of a control were as marker and but the light (control were as marker and but the sleep but feet the area of a control were as marker and but the light (control were as marker and cobs) light (control were as m
A randomized, do light exposure or cognition followi William D.S. Killgore Department of Psychiatry, College of A R T I C L E I N F O Keyword: TRI Concusion Japht therapy Base light Skeep Ziradian thythm	ouble-blind, placebo-controlled trial of blue wavelength a sleep and recovery of brain structure, function, and ing mild traumatic brain injury ", John R. Vanuk, Bradley R. Shane, Mareen Weber, Sahil Bajaj Matime, University of Atsense, United States of America A B S T R A C T Sleep and circadian rhythms are among the most powerful but least understood contributors to cognitive per formance and brain health. Here we capitalize on the circadian resetting effect of blue-wavelength light to plas with the sleep partners of adult patients (seed 19-48 years) recovering from mild traumatic brain liquy (mTH) with the aim of facilitating recovery of brain structure, connectivity, and cognitive performance. During andomized, double-blind, placebo-controlled trial of 23 adults with a recent mTH, we compared 5-weeks, a digity 30-min pulses of blue. Hight (peak $\lambda = 460$ nm) each moring versus amber glaceby. There is a structure, commercively, and comments (performance for the structure) and the recent structure for the structure fore
A randomized, do light exposure or cognition followi William D.S. Killgore' Department of Psychiatry. College of A R TICLE IN PO Krywork: aTH Concussion Jake Hight Skep Zircadian thythm Keynolmaging	ouble-blind, placebo-controlled trial of blue wavelength a sleep and recovery of brain structure, function, and ing mild traumatic brain injury *, John R. Vanuk, Bradley R. Shane, Mareen Weber, Sahil Bajaj Medicine, University of Arlawse, United Status of America A B STRACT Steep and circadian rhythms are among the most powerful but least understood contributors to cognitive per shift the sleep patterns of datil patients (aged 18-48 years) recovering from mild ramatic brain large (mild) with the sleep patterns of datil patients (aged 18-48 years) recovering from mild ramatic brain large (mild) with the sleep patterns of datil patients (aged 18-49 years) recovering from mild ramatic brain large (mild) with the sleep patterns of datil patients (aged 18-49 years) recovering from mild ramatic brain built, Here we capitalize on the circadian resetting effect of blue wavelength light to play for the sleep patterns of datil patients (aged 18-49 years) recovering from mild ramatic brain large (mild) with the sleep patterns of adult patients (aged 18-49 years) recovering from mild ramatic brain large (mild) with the adverted mild) adult blue performance. During randomized, double-blut, placebo-controlled trial of 32 adults with a recent mBK, we compared Sweeds (mild) 30 milds (mild) paties of blue light (peak Å = 40 mild) conting errors matter volume (GAV), resting surger (mild) adult blue the more trial out of 23 adults with a recent mild traverse blue blue (blue blue blue blue blue blue blue blue
A randomized, do light exposure or cognition followi William D.S. Killgore: Department of Psychiatry, Collage of ARTICLE INFO Koywords: artil artituto Concuston Sage the Sage	ouble-blind, placebo-controlled trial of blue wavelength a sleep and recovery of brain structure, function, and ing mild traumatic brain injury *, John R. Vanuk, Bradley R. Shane, Mareen Weber, Sahil Bajaj Median, University of Artena, United States of America *

	Balance Board — general considerations			
	NEUTRALIZATION KEY			
	Stimulate Sympathetic Syntony Stimulate Parasympathetic			
	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$			
	Add "S" to augment this side Flash L Add "D" to augment this side No Flash			
1	Red end of spectrum= sympathetic stimulation			
		20		











































